

VANDENS SIURBLIAI, UAB
Įmonės kodas 144708571
PVM kodas LT447085716
Girulių g. 24, Šiauliai
LT78138, Lietuva



DAŽNIO KEITIKLIS FC-102P22KT4E55H2XG - 2430.29 €

Gamintojas



APRAŠYMAS:

Frequency Converter FC-102P22KT4E55H2XGXXXXXXXAXBXCXXXXDX (FC-) VLT® HVAC Drive FC-102 (P22K) 22 KW / 30 HP, (T) Three phase (4) 380 - 480 VAC, (E55) IP55 / Type 12 (H2) RFI Class A2 (C3) (X) No brake chopper (G) Graphical Loc. Cont. Panel (X) Not coated PCB, (X) No Mains Option (AX) No A Option, (BX) No B Option (X) No C1 option, (DX) No D option Frame: B2 Other options according to Model Code Model code: FC-102P22KT4E55H2XGXXXXXXXAXBXCXXXXDX

TECHNINIAI DUOMENYS

VLT® HVAC DRIVE FC 100 SERIES

Product Group	FC-	(FC-) VLT® HVAC Drive FC-
Series	102	102
Power Rating	P22K	(P22K) 22 KW / 30 HP

Phase	T	(T) Three phase
Mains Voltage	4	(4) 380 - 480 VAC
Enclosure	E55	(E55) IP55 / Type 12
RFI Filter	H2	(H2) RFI Class A2 (C3)
Brake - Safe Stop	X	(X) No brake chopper
LCP	G	(G) Graphical Loc. Cont. Panel
Coating PCB	X	(X) Not coated PCB
Mains Option	X	(X) No Mains Option
Adaptation A	X	(X) Standard Cable Entries
Adaptation B	X	(X) No adaptation
A Option	AX	(AX) No A Option
Software Release	SXXX	(SXXX) Latest release std. SW.
B Option	BX	(BX) No B Option
Software Language Pack	X	(X) Standard Language Pack
C0 Option MCO	CX	(CX) No C0 option
C1 Option	X	(X) No C1 option
C Option Software	XX	(XX) No software option
D Option	DX	(DX) No D option
Frame Size	B2	B2
Typecode Part 1		FC-102P22KT4E55H2XGX
Typecode Part 2		XXXSXXXXAXBXCXXXXDX
Calculated Gross Weight		28.9
Calculated Net Weight [kg]		28.6
Continuous Current (HO) [A]		NV
Continuous Current (HO) [A]		NV
Continuous Current (NO) [A]		44
Continuous Current (NO) [A]		40
Depth [mm]		260,0
Depth with Option A/B [mm]		260,0
Height [mm]		650,0
Height w/ Regen/Loadshare [mm]		NV
Intermittent Current (HO) [A]		NV
Intermittent Current (HO) [A]		NV
Intermittent Current (NO) [A]		48.4
Intermittent Current (NO) [A]		44
kVA		30.5
Material Gross Weight		27.68
Material Net Weight		26.73
Modelcode01		FC-102P22KT4E55H2XGX
Modelcode02		XXXSXXXXAXBXCXXXXDX
Power 110% (NO) [KW]		22
Power 150% (HO) [KW]		NV
Power 160% (HO) [KW]		NV
Power 180% (HO) [KW]		NV
Power Loss HO [W]		NV
Power Loss HO [W]		NV
Power Loss NO [W]		525
Power Loss NO [W]		525

Product Catalog

NO_VIEW NO VIEW

Product View (Switch)

GLBL Global (Standard)

Recommended Factory

ERR01 Cannot Determine Vendor

Vendor

ERR01 Cannot Determine Vendor

Width w/ no C options [mm]

242,0

Gamintojas: [Danfoss](#)

SPECIFIKACIJOS:

Įtampa, V	380
-----------	-----

Variklio galingumas (kW)	22
--------------------------	----