

POMPA PRINCIPALE / MAIN PUMP / BOMBA PRINCIPAL

Tabella di scelta pompa principale SAER
Selection table for the main pump SAER
Tabla de selección de la bomba principal SAER

Potenza Max Max Power Potencia Máx (kW)	Girante Impeller Impulsor	Mod. Pompa Pump mod. Bomba Mod.	Q= Portata della pompa principale / Capacity of each service pump / Caudal de la bomba principal																			
			m³/h 0	7,2	9	14,4	18	21,6	24	27	28,8	30	36	43,2	50,4	54	60	72	84	90	96	108
			l/m 0	120	150	240	300	360	400	450	480	500	600	720	840	900	1000	1200	1400	1500	1600	1800
H= Prevalenza / Total head / Altura manométrica total (m.c.a.)																						
4	■	32-200-S177	41	39	37	34	31	29*	25	21	18	17										
5,4	■	32-200-S193	50	48	46	44	41	38*	35	32	28	27										
7,5	■	32-200-S212	62	59	59	56	53	51	48*	45	42	41										
8,5	■	32-200-S219	66	64	64	61	58	56	52	50*	46	46										
15,0	■	32-250-S210	61				60	59	59	58	58	58	55	53*	49							
18,5	■	32-250-S225	71				70	69	69	68	68	68	65	62*	60							
22,0	■	32-250-S235	78				77	77	77	76	75	75	73	70*	68							
26,5	■	32-250-S257	97				95	95	95	94	92	92	90	87*	85							
27,5	■	32-250-S260	99				98	97	97	96	95	95	94	91*	88							
7,1	■	40-200-S180	43						40	39	38	37	34	29	27*	16						
10,9	■	40-200-S200	57						56	55	54	54	52	49	45*	42	35					
13,0	■	40-200-S210	63						62	62	61	60	57	53	47*	45	37					
10,5	■	40-250-S198	56						51	51	52	45	48	41*	39	37	34					
15,0	■	40-250-S219	69						65	65	65	62	59	54	52*	49	45					
18,0	■	40-250-S235	79						75	75	74	71	69	63	60*	58	54					
21,0	■	40-250-S248	88						82	82	81	80	78	71	69	66*	63	50				
23,5	■	40-250-S259	99						94	94	93	91	88	80*	76	73	70	52				
37,0	■	40-315-S265	92											92	91	91	90	86	81	80*	77	
45,0	■	40-315-S285	111											111	110	110	109	107	102	100*	98	
54,0	■	40-315-S305	126											126	129	129	128	122	119	117*	114	
11,0	■	50-200-S175	42										37	36	35	34	32*	27	23			
15,0	■	50-200-S195	53										50	48	47	46	45*	40	35	33		
18,0	■	50-200-S208	61										58	56	55	54	53	48*	43	41	37	
20,5	■	50-200-S215	65										63	60	58	57	56	53*	48	46	44	
23,0	■	50-200-S218	69										67	66	65	65	64	59	55*	54	50	
22,0	■	50-250-S230	78												70	69	68	62	55*	50	46	
30,0	■	50-250-S257	99												92	91	90	85	77*	76	70	
31,0	■	50-250-S260	101												96	95	93	88	80	79*	74	61
45,0	■	50-315-S270	104												100	99	98	92	87	85*	81	77
55,0	■	50-315-S286	120												113	112	111	108	101	100*	99	91
75,0	■	50-315-S315	144												140	139	139	133	128	126	123*	119

Corpo Pompa: Ghisa
Body pump: Cast iron
Cuerpo bomba: Hierro fundido

Girante Pompa / Impeller / Impulsor
■ Ghisa / Cast iron / Hierro fundido
■ Acciaio inox / Stainless steel / Acero inox

POMPA PRINCIPALE / MAIN PUMP / BOMBA PRINCIPAL

SAER®
ELETTROPOMPE

Tabella di scelta pompa principale SAER
Selection table for the main pump SAER
Tabla de selección de la bomba principal SAER

Potenza Max Max Power Potencia Máx (kW)	Girante Impeller Impulsor	Mod. Pompa Pump mod. Bomba Mod.	Q= Portata della pompa principale / Capacity of each service pump / Caudal de la bomba principal																			
			m³/h 0	66	72	90	108	120	150	180	210	240	270	300	330	360	390	420	480	540	600	750
			l/m 0	1100	1200	1500	1800	2000	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	8000	9000	10000	12500
			H= Prevalenza / Total head / Altura manométrica total (m.c.a.)																			
18,0	■	65-200-S185	44	44	42	39*	33	30														
21,5	■	65-200-S197	49	49	48	46	44*	41	31													
23,0	■	65-200-S200	51	51	50	47	45	43*	33													
27,5	■	65-200-S209	62	63	62	58	56*	52	42	30												
29,0	■	65-200-S214	66	66	65	62	59*	56	46	34												
30,0	■	65-250-S225	71	69	68	65	61*	58	48													
36,0	■	65-250-S240	82	79	79	76	72*	69	59													
44,0	■	65-250-S252	92	91	90	87	84*	80	71	60												
50,0	■	65-250-S259	98	97	97	94	90	87*	78	67												
72,0	■	65-315-S292	115	119	119	118	112	110	104*	96	88											
85,0	■	65-315-S312	133	133	133	132	130	129	121	111*	103											
29,0	■	80-200-S192	49				48	48	45	41*	37	31	25									
37,0	■	80-200-S203	58				55	54	51*	48	44	37	31	25								
44,0	■	80-200-S215	64				63	62	59	56*	52	47	41	36								
55,0	■	80-250-S235	74				73	72	71	68	65*	59	52	46	38							
75,0	■	80-250-S253	89				88	88	86	84	80	76*	71	65	58							
89,0	■	80-250-S266	101				99	99	98	95	93	89*	85	79	70							
92,0	■	80-250-S269	105				101	101	100	98	96	92*	87	80	72							
110,0	■	80-315-S290	115				115	115	114	110	106	100*	95	88	80	74	61					
131,0	■	80-315-S311	137				135	134	132	130	128	122	117	110*	101	94						
159,0	■	80-315-S325	149				148	148	146	143	140	135	130	124	116*	110						
22,0	■	100-200-S168	33						30	28	27	24	21*	17	15	9						
29,0	■	100-200-S183	41						38	36	34	31	29*	26	21	15	8					
36,0	■	100-200-S194	48						45	43	42	39	38	34*	30	25	15					
44,0	■	100-200-S205	53						51	50	49	47	46	42*	38	34	24					
55,0	■	100-200-S219	62						61	60	58	57	56	53*	48	44	38					
55,0	■	100-250-S233	69						66	64	62	59	55*	50	45	40	31	26				
74,0	■	100-250-S247	80						78	75	73	71	68	63*	59	53	46	42	28			
89,0	■	100-250-S256	88						85	84	81	79	76	72*	68	63	56	52	37			
110,0	■	100-250-S269	99						96	95	92	91	90	86	81*	78	71	58	53			
132,0	■	100-315-S272	101						102	102	102	100	98	94	90	88	82	80*	69	57		
160,0	■	100-315-S294	120						119	118	118	116	114	112	109	108	103	100*	90	77		
90,0	■	125-250-S224	65											59	58	57	55	53	49*	45		
110,0	■	125-250-S237	74											70	69	67	66	64	60	56*		
132,0	■	125-250-S251	84											80	79	78	77	76	72	69*		
160,0	■	125-250-S267	96											94	94	92	91	90	87	83		
160,0	■	125-315-S290	109											101	100	98	95	92	85	77*		
190,0	■	125-315-S305	121											113	111	109	106	105	97	90*		
200,0	■	150-315-S273	92															92	89	86		
250,0	■	150-315-S291	108															106	103	101		

Corpo Pompa: Ghisa
Body pump: Cast iron
Cuerpo bomba: Hierro fundido

Girante Pompa / Impeller / Impulsor
■ Ghisa / Cast iron / Hierro fundido
■ Acciaio inox / Stainless steel / Acero inox

GRUPPI ANTINCENDIO / FIRE FIGHTING UNITS / GRUPOS CONTRA INCENDIO

Tabella di scelta Gruppi Antincendio con pompe principali SAER

Selection table for Fire Fighting Units with main pumps branded SAER

Tabla de selección de Grupos Contra Incendio con bombas principales de marca SAER

Cod.	E
A1009..	E32-200/4-J0...S177
A1010..	E32-200/5,5-J0...S193
A1011..	E32-200/7,5-J0...S212
A1012..	E32-200/9,2-J0...S219
A1013..	E32-250/15-J0...S210
A1014..	E32-250/18,5-J0...S225
A1015..	E32-250/22-J0...S235
A1016..	E32-250/30-J0...S257
A1017..	E32-250/30-J3...S260
A1018..	E40-200/7,5-J0...S180
A1019..	E40-200/11-J0...S200
A1020..	E40-200/15-J0...S210
A1021..	E40-250/11-J0...S198
A1022..	E40-250/15-J2...S219
A1023..	E40-250/18,5-J0...S235
A1024..	E40-250/22-J0...S248
A1025..	E40-250/30-J0...S259
A1026..	E40-315/37-J0...S265
A1027..	E40-315/45-J0...S285
A1028..	E40-315/55-J0...S305
A1029..	E50-200/11-J0...S175
A1030..	E50-200/15-J0...S195
A1031..	E50-200/18,5-J0...S208
A1032..	E50-200/22-J0...S215
A1033..	E50-200/30-J0...S218
A1034..	E50-250/22-J0...S230
A1035..	E50-250/30-J0...S257
A1036..	E50-250/37-J0...S260
A1037..	E50-315/45-J0...S270
A1038..	E50-315/55-J0...S286
A1039..	E50-315/75-J0...S315
A1040..	E65-200/18,5-J0...S185
A1041..	E65-200/22-J0...S197
A1042..	E65-200/30-J0...S200
A1043..	E65-200/30-J0...S209
A1044..	E65-200/30-J2...S214
A1045..	E65-250/30-J0...S225
A1046..	E65-250/37-J0...S240
A1047..	E65-250/45-J0...S252
A1048..	E65-250/55-J0...S259
A1049..	E65-315/75-J0...S292
A1050..	E65-315/90-J0...S312
A1051..	E80-200/30-J0...S192
A1052..	E80-200/37-J0...S203
A1053..	E80-200/45-J0...S215
A1054..	E80-250/55-J0...S235
A1055..	E80-250/75-J0...S253
A1056..	E80-250/90-J0...S266
A1057..	E80-250/110-J0...S269
A1058..	E80-315/110-J0...S290
A1059..	E80-315/132-J0...S311
A1060..	E80-315/160-J0...S325
A1061..	E100-200/22-J0...S168
A1062..	E100-200/30-J0...S183
A1063..	E100-200/37-J0...S194
A1064..	E100-200/45-J0...S205
A1065..	E100-200/55-J0...S219
A1066..	E100-250/55-J0...S233
A1067..	E100-250/75-J0...S247
A1068..	E100-250/90-J0...S256
A1069..	E100-250/110-J0...S269
A1070..	E100-315/132-J0...S272
A1071..	E100-315/160-J0...S294
A1072..	E125-250/90-J0...S224
A1073..	E125-250/110-J0...S237
A1074..	E125-250/132-J0...S251
A1075..	E125-250/160-J0...S267
A1076..	E125-315/160-J0...S290
A1077..	E125-315/200-J0...S305
A1078..	E150-315/200-J0...S273
A1079..	E150-315/250-J0...S291

Cod.	EJ
A1080..	E32-200/4-J1...S177
A1081..	E32-200/5,5-J1...S193
A1082..	E32-200/7,5-J2...S212
A1083..	E32-200/9,2-J2...S219
A1084..	E32-250/15-J2...S210
A1085..	E32-250/18,5-J2...S225
A1086..	E32-250/22-J2...S235
A1087..	E32-250/30-J3...S257
A1088..	E32-250/30-J3...S260
A1089..	E40-200/7,5-J1...S180
A1090..	E40-200/11-J1...S200
A1091..	E40-200/15-J2...S210
A1092..	E40-250/11-J1...S198
A1093..	E40-250/15-J2...S219
A1094..	E40-250/18,5-J2...S235
A1095..	E40-250/22-J3...S248
A1096..	E40-250/30-J3...S259
A1097..	E40-315/37-J3...S265
A1098..	E40-315/45-J4...S285
A1099..	E40-315/55-J4...S305
A1100..	E50-200/11-J1...S175
A1101..	E50-200/15-J1...S195
A1102..	E50-200/18,5-J2...S208
A1103..	E50-200/22-J2...S215
A1104..	E50-200/30-J2...S218
A1105..	E50-250/22-J2...S230
A1106..	E50-250/30-J3...S257
A1107..	E50-250/37-J3...S260
A1108..	E50-315/45-J3...S270
A1109..	E50-315/55-J4...S286
A1110..	E50-315/75-J5...S315
A1111..	E65-200/18,5-J1...S185
A1112..	E65-200/22-J1...S197
A1113..	E65-200/30-J1...S200
A1114..	E65-200/30-J2...S209
A1115..	E65-200/30-J2...S214
A1116..	E65-250/30-J2...S225
A1117..	E65-250/37-J3...S240
A1118..	E65-250/45-J3...S252
A1119..	E65-250/55-J3...S259
A1120..	E65-315/75-J4...S292
A1121..	E65-315/90-J4...S312
A1122..	E80-200/30-J1...S192
A1123..	E80-200/37-J2...S203
A1124..	E80-200/45-J2...S215
A1125..	E80-250/55-J2...S235
A1126..	E80-250/75-J3...S253
A1127..	E80-250/90-J3...S266
A1128..	E80-250/110-J3...S269
A1129..	E80-315/110-J4...S290
A1130..	E80-315/132-J5...S311
A1131..	E80-315/160-J5...S325
A1132..	E100-200/22-J1...S168
A1133..	E100-200/30-J1...S183
A1134..	E100-200/37-J1...S194
A1135..	E100-200/45-J1...S205
A1136..	E100-200/55-J2...S219
A1137..	E100-250/55-J2...S233
A1138..	E100-250/75-J3...S247
A1139..	E100-250/90-J3...S256
A1140..	E100-250/110-J3...S269
A1141..	E100-315/132-J3...S272
A1142..	E100-315/160-J4...S294
A1143..	E125-250/90-J2...S224
A1144..	E125-250/110-J2...S237
A1145..	E125-250/132-J3...S251
A1146..	E125-250/160-J3...S267
A1147..	E125-315/160-J4...S290
A1148..	E125-315/200-J4...S305
A1149..	E150-315/200-J3...S273
A1150..	E150-315/250-J4...S291

Cod.	D
A1151..	D32-200/4,3-J0...S177
A1152..	D32-200/6,3-J0...S193
A1153..	D32-200/10,7-J0...S212
A1154..	D32-200/10,7-J0...S219
A1155..	D32-250/17,9-J0...S210
A1156..	D32-250/26,8-J0...S225
A1157..	D32-250/26,8-J0...S235
A1158..	D32-250/26,8-J0...S257
A1159..	D32-250/31,7-J0...S260
A1160..	D40-200/10,7-J0...S180
A1161..	D40-200/13,8-J0...S200
A1162..	D40-200/13,8-J0...S210
A1163..	D40-250/10,7-J0...S198
A1164..	D40-250/17,9-J0...S219
A1165..	D40-250/26,8-J0...S235
A1166..	D40-250/26,8-J0...S248
A1167..	D40-250/26,8-J0...S259
A1168..	D40-315/48,7-J0...S265
A1169..	D40-315/48,7-J0...S285
A1170..	D40-315/67-J0...S305
A1171..	D50-200/13,8-J0...S175
A1172..	D50-200/17,9-J0...S195
A1173..	D50-200/26,8-J0...S208
A1174..	D50-200/26,8-J0...S215
A1175..	D50-200/26,8-J0...S218
A1176..	D50-250/26,8-J0...S230
A1177..	D50-250/31,7-J0...S257
A1178..	D50-250/31,7-J0...S260
A1179..	D50-315/48,7-J0...S270
A1180..	D50-315/67-J0...S286
A1181..	D50-315/99,5-J0...S315
A1182..	D65-200/26,8-J0...S185
A1183..	D65-200/26,8-J0...S197
A1184..	D65-200/26,8-J0...S200
A1185..	D65-200/31,7-J0...S209
A1186..	D65-200/31,7-J0...S214
A1187..	D65-250/31,7-J0...S225
A1188..	D65-250/48,7-J0...S240
A1189..	D65-250/48,7-J0...S252
A1190..	D65-250/67-J0...S259
A1191..	D65-315/99,5-J0...S292
A1192..	D65-315/99,5-J0...S312
A1193..	D80-200/31,7-J0...S192
A1194..	D80-200/48,7-J0...S203
A1195..	D80-200/48,7-J0...S215
A1196..	D80-250/67-J0...S235
A1197..	D80-250/99,5-J0...S253
A1198..	D80-250/99,5-J0...S266
A1199..	D80-250/99,5-J0...S269
A1200..	D80-315/132,4-J0...S290
A1201..	D80-315/132,4-J0...S311
A1202..	D80-315/160,5-J0...S325
A1203..	D100-200/26,8-J0...S168
A1204..	D100-200/31,7-J0...S183
A1205..	D100-200/48,7-J0...S194
A1206..	D100-200/48,7-J0...S205
A1207..	D100-200/67-J0...S219
A1208..	D100-250/67-J0...S233
A1209..	D100-250/99,5-J0...S247
A1210..	D100-250/99,5-J0...S256
A1211..	D100-250/132,4-J0...S269
A1212..	D100-315/99,5-J0...S272
A1213..	D100-315/180,5-J0...S294
A1214..	D125-250/99,5-J0...S224
A1215..	D125-250/132,4-J0...S237
A1216..	D125-250/132,4-J0...S251
A1217..	D125-250/180,5-J0...S267
A1218..	D125-315/180,5-J0...S290
A1219..	D125-315/202,8-J0...S305
A1220..	D150-315/202,8-J0...S273
A1221..	D150-315/270-J0...S291

GRUPPI ANTINCENDIO / FIRE FIGHTING UNITS / GRUPOS CONTRA INCENDIO



Tabella di scelta Gruppi Antincendio con pompe principali SAER

Selection table for Fire Fighting Units with main pumps branded SAER

Tabla de selección de Grupos Contra Incendio con bombas principales de marca SAER

Cod.	DD
A1222..	D32-200/4,3-J1...S177
A1223..	D32-200/6,3-J1...S193
A1224..	D32-200/10,7-J2...S212
A1225..	D32-200/10,7-J2...S219
A1226..	D32-250/17,9-J2...S210
A1227..	D32-250/26,8-J2...S225
A1228..	D32-250/26,8-J2...S235
A1229..	D32-250/26,8-J3...S257
A1230..	D32-250/31,7-J3...S260
A1231..	D40-200/10,7-J1...S180
A1232..	D40-200/13,8-J1...S200
A1233..	D40-200/13,8-J2...S210
A1234..	D40-250/10,7-J1...S198
A1235..	D40-250/17,9-J2...S219
A1236..	D40-250/26,8-J2...S235
A1237..	D40-250/26,8-J3...S248
A1238..	D40-250/26,8-J3...S259
A1239..	D40-315/48,7-J3...S265
A1240..	D40-315/48,7-J4...S285
A1241..	D40-315/67-J4...S305
A1242..	D50-200/13,8-J1...S175
A1243..	D50-200/17,9-J1...S195
A1244..	D50-200/26,8-J2...S208
A1245..	D50-200/26,8-J2...S215
A1246..	D50-200/26,8-J2...S218
A1247..	D50-200/26,8-J2...S230
A1248..	D50-250/31,7-J3...S257
A1249..	D50-250/31,7-J3...S260
A1250..	D50-315/48,7-J3...S270
A1251..	D50-315/67-J4...S286
A1252..	D50-315/99,5-J5...S315
A1253..	D65-200/26,8-J1...S185
A1254..	D65-200/26,8-J1...S197
A1255..	D65-200/26,8-J1...S200
A1256..	D65-200/31,7-J2...S209
A1257..	D65-200/31,7-J2...S214
A1258..	D65-250/31,7-J2...S225
A1259..	D65-250/48,7-J3...S240
A1260..	D65-250/48,7-J3...S252
A1261..	D65-250/67-J3...S259
A1262..	D65-315/99,5-J4...S292
A1263..	D65-315/99,5-J4...S312
A1264..	D80-200/31,7-J1...S192
A1265..	D80-200/48,7-J2...S203
A1266..	D80-200/48,7-J2...S215
A1267..	D80-250/67-J2...S235
A1268..	D80-250/99,5-J3...S253
A1269..	D80-250/99,5-J3...S266
A1270..	D80-250/99,5-J3...S269
A1271..	D80-315/132,4-J4...S290
A1272..	D80-315/132,4-J5...S311
A1273..	D80-315/180,5-J5...S325
A1274..	D100-200/26,8-J1...S168
A1275..	D100-200/31,7-J1...S183
A1276..	D100-200/48,7-J1...S194
A1277..	D100-200/48,7-J1...S205
A1278..	D100-200/67-J2...S219
A1279..	D100-250/67-J2...S233
A1280..	D100-250/99,5-J3...S247
A1281..	D100-250/99,5-J3...S256
A1282..	D100-250/132,4-J3...S269
A1283..	D100-315/99,5-J3...S272
A1284..	D100-315/180,5-J4...S294
A1285..	D125-250/99,5-J2...S224
A1286..	D125-250/132,4-J2...S237
A1287..	D125-250/132,4-J3...S251
A1288..	D125-250/180,5-J3...S267
A1289..	D125-315/180,5-J4...S290
A1290..	D125-315/202,8-J4...S305
A1291..	D150-315/202,8-J3...S273
A1292..	D150-315/270-J4...S291

Cod.	EEJ
A1293..	EE32-200/4/4-J1...S177
A1294..	EE32-200/5,5/5,5-J1...S193
A1295..	EE32-200/7,5/7,5-J2...S212
A1296..	EE32-200/9,2/9,2-J2...S219
A1297..	EE32-250/15/15-J2...S210
A1298..	EE32-250/18,5/18,5-J2...S225
A1299..	EE32-250/22/22-J2...S235
A1300..	EE32-250/30/30-J3...S257
A1301..	EE32-250/30/30-J3...S260
A1302..	EE40-200/7,5/7,5-J1...S180
A1303..	EE40-200/11/11-J1...S200
A1304..	EE40-200/15/15-J2...S210
A1305..	EE40-250/11/11-J1...S198
A1306..	EE40-250/15/15-J2...S219
A1307..	EE40-250/18,5/18,5-J2...S235
A1308..	EE40-250/22/22-J3...S248
A1309..	EE40-250/30/30-J3...S259
A1310..	EE40-315/37/37-J3...S265
A1311..	EE40-315/45/45-J4...S285
A1312..	EE40-315/55/55-J4...S305
A1313..	EE50-200/11/11-J1...S175
A1314..	EE50-200/15/15-J1...S195
A1315..	EE50-200/18,5/18,5-J2...S208
A1316..	EE50-200/22/22-J2...S215
A1317..	EE50-200/30/30-J2...S218
A1318..	EE50-250/22/22-J2...S230
A1319..	EE50-250/30/30-J3...S257
A1320..	EE50-250/37/37-J3...S260
A1321..	EE50-315/45/45-J3...S270
A1322..	EE50-315/55/55-J4...S286
A1323..	EE50-315/75/75-J5...S315
A1324..	EE65-200/18,5/18,5-J1...S185
A1325..	EE65-200/22/22-J1...S197
A1326..	EE65-200/30/30-J1...S200
A1327..	EE65-200/30/30-J2...S209
A1328..	EE65-200/30/30-J2...S214
A1329..	EE65-250/30/30-J2...S225
A1330..	EE65-250/37/37-J3...S240
A1331..	EE65-250/45/45-J3...S252
A1332..	EE65-250/55/55-J3...S259
A1333..	EE65-315/75/75-J4...S292
A1334..	EE65-315/90/90-J4...S312
A1335..	EE80-200/30/30-J1...S192
A1336..	EE80-200/37/37-J2...S203
A1337..	EE80-200/45/45-J2...S215
A1338..	EE80-250/55/55-J2...S235
A1339..	EE80-250/75/75-J3...S253
A1340..	EE80-250/90/90-J3...S266
A1341..	EE80-250/110/110-J3...S269
A1342..	EE80-315/110/110-J4...S290
A1343..	EE80-315/132/132-J5...S311
A1344..	EE80-315/160/160-J5...S325
A1345..	EE100-200/22/22-J1...S168
A1346..	EE100-200/30/30-J1...S183
A1347..	EE100-200/37/37-J1...S194
A1348..	EE100-200/45/45-J1...S205
A1349..	EE100-200/55/55-J2...S219
A1350..	EE100-250/55/55-J2...S233
A1351..	EE100-250/75/75-J3...S247
A1352..	EE100-250/90/90-J3...S256
A1353..	EE100-250/110/110-J3...S269
A1354..	EE100-315/132/132-J3...S272
A1355..	EE100-315/160/160-J4...S294
A1356..	EE125-250/90/90-J2...S224
A1357..	EE125-250/110/110-J2...S237
A1358..	EE125-250/132/132-J3...S251
A1359..	EE125-250/160/160-J3...S267
A1360..	EE125-315/160/160-J4...S290
A1361..	EE125-315/200/200-J4...S305
A1362..	EE150-315/200/200-J3...S273
A1363..	EE150-315/250/250-J4...S291

Cod.	EDJ
A1364..	ED32-200/4/4,3-J1...S177
A1365..	ED32-200/5,5/5,5,3-J1...S193
A1366..	ED32-200/7,5/10,7-J2...S212
A1367..	ED32-200/9,2/10,7-J2...S219
A1368..	ED32-250/15/17,9-J2...S210
A1369..	ED32-250/18,5/26,8-J2...S225
A1370..	ED32-250/22/22,8-J2...S235
A1371..	ED32-250/30/26,8-J3...S257
A1372..	ED32-250/30/31,7-J3...S260
A1373..	ED40-200/7,5/10,7-J1...S180
A1374..	ED40-200/11/13,8-J1...S200
A1375..	ED40-200/15/13,8-J2...S210
A1376..	ED40-250/11/10,7-J1...S198
A1377..	ED40-250/15/17,9-J2...S219
A1378..	ED40-250/18,5/26,8-J2...S235
A1379..	ED40-250/22/22,8-J3...S248
A1380..	ED40-250/30/26,8-J3...S259
A1381..	ED40-315/37/48,7-J3...S265
A1382..	ED40-315/45/48,7-J4...S285
A1383..	ED40-315/55/67-J4...S305
A1384..	ED50-200/11/13,8-J1...S175
A1385..	ED50-200/15/17,9-J1...S195
A1386..	ED50-200/18,5/26,8-J2...S208
A1387..	ED50-200/22/22,8-J2...S215
A1388..	ED50-200/30/26,8-J2...S218
A1389..	ED50-250/22/22,8-J2...S230
A1390..	ED50-250/30/31,7-J3...S257
A1391..	ED50-250/37/31,7-J3...S260
A1392..	ED50-315/45/48,7-J3...S270
A1393..	ED50-315/55/67-J4...S286
A1394..	ED50-315/75/99,5-J5...S315
A1395..	ED65-200/18,5/26,8-J1...S185
A1396..	ED65-200/22/22,8-J1...S197
A1397..	ED65-200/30/26,8-J1...S200
A1398..	ED65-200/30/31,7-J2...S209
A1399..	ED65-200/30/31,7-J2...S214
A1400..	ED65-250/30/31,7-J2...S225
A1401..	ED65-250/37/48,7-J3...S240
A1402..	ED65-250/45/48,7-J3...S252
A1403..	ED65-250/55/67-J3...S259
A1404..	ED65-315/75/99,5-J4...S292
A1405..	ED65-315/90/99,5-J4...S312
A1406..	ED80-200/30/31,7-J1...S192
A1407..	ED80-200/37/48,7-J2...S203
A1408..	ED80-200/45/48,7-J2...S215
A1409..	ED80-250/55/67-J2...S235
A1410..	ED80-250/75/99,5-J3...S253
A1411..	ED80-250/90/99,5-J3...S266
A1412..	ED80-250/110/99,5-J3...S269
A1413..	ED80-315/110/132,4-J4...S290
A1414..	ED80-315/132/132,4-J5...S311
A1415..	ED80-315/160/180,5-J5...S325
A1416..	ED100-200/22/22,8-J1...S168
A1417..	ED100-200/30/31,7-J1...S183
A1418..	ED100-200/37/48,7-J1...S194
A1419..	ED100-200/45/48,7-J1...S205
A1420..	ED100-200/55/67-J2...S219
A1421..	ED100-250/55/67-J2...S233
A1422..	ED100-250/75/99,5-J3...S247
A1423..	ED100-250/90/99,5-J3...S256
A1424..	ED100-250/110/132,4-J3...S269
A1425..	ED100-315/132/99,5-J3...S272
A1426..	ED100-315/160/180,5-J4...S294
A1427..	ED125-250/90/99,5-J2...S224
A1428..	ED125-250/110/132,4-J2...S237
A1429..	ED125-250/132/132,4-J3...S251
A1430..	ED125-250/160/180,5-J3...S267
A1431..	ED125-315/160/180,5-J4...S290
A1432..	ED125-315/200/202,8-J4...S305
A1433..	ED150-315/200/202,8-J3...S273
A1434..	ED150-315/250/270-J4...S291

Ciascun codice identifica 2 possibili gruppi antincendio a seconda dell'incremento diametro mandata pompa principale (1 o 2 taglie), spiegazione a pag. 7 e pag. 12

Each code identifies 2 possible fire fighting units, depending how is increased the delivery diameter of the main pump (1 or 2 sizes), explanation on pag. 7 & pag. 18

Cada código identifica 2 posibles grupos contra incendio, dependiendo de cuánto es aumentado el diámetro de impulsión de la bomba principal (1 o 2 tamaños), explicación en la pag. 7 e pag. 24