Diesel Water Pump Set

Die-casting pump ourselves to ensure quality Large fuel tank available Recoil start and electric start Bulky displacement and higher head









Model	HL50C(E)	HL50CL(E)	HL80C(E)	HL80CL(E)	HL100C(E)	HL100CL(E)	
Туре			Self-priming,Ce	ntrifugal pump			
Inlet/Outlet	50mm (2 inch)	80mm (3 inch)	100mm	100mm (4 inch)	
Total head	31m		28m		27m		
Suction head	8m		8m		8m		
Maximum capacity	600L	600L/min		1000L/min		1600L/min	
Engine model	HL170	PFA(E)	HL178FA(E)		HL186FA(E)		
Fuel tank capacity	2.5 liter	12.5 liter	3.5 liter	12.5 liter	5.5 liter	12.5 liter	

Model	HL40CX(E)	HL40CXL(E)	HL50CX (E)	HL50CXL(E)	HL40CX2(E)	HL40CXL2(E)	HL50CX2(E)	HL50CXL2(E)	HL80HC(E)	HL80HCL(E)
Туре			Se	lf-priming, High	head water pur	qn				priming, ugal pump
Inlet/Outlet	40mm (1	1.5 inch)	50mm	(2 inch)	65mm (1.5 inch)	60mm	(2 inch)	80mm	(3 inch)
Total head	50)m	4!	ōm	50)m	4!	5m	Ę	50m
Suction head	6	m	6	m	6	m	6	im		6m
Maximum capacity	300	L/min	400	L/min	300	L/min	400	L/min	600	L/min
Engine model	HL178	BFA(E)	HL17	BFA(E)	HL17	8FA(E)	HL17	'8FA(E)	HL18	86FA(E)
Fuel tank capacity	3.5 liter	12.5 liter	3.5 liter	12.5 liter	3.5 liter	12.5 liter	3.5 liter	12.5 liter	5.5 liter	12.5 liter

Diesel High-pressure Pump Set

Die-casting pump ourselves to ensure quality Large fuel tank available Recoil start and electric start Bulky displacement and higher head



Diesel Cast Iron Pump Set

Die-casting pump ourselves to ensure quality Large fuel tank available Recoil start and electric start Bulky displacement and higher head



Die-casting pump ourselves to ensure quality Large fuel tank available Recoil start and electric start Bulky displacement and higher head

Diesel Trash Pump Set



Model	HL80TPC(E)	HL80TPL(E)			
Type	Trash p	oump			
Inlet/Outlet	80mm(3	80mm(3 inch)			
Total head		28m			
Suction head		8m			
Maximum capacity	1100L,	1100L/min			
Engine model	HL178F	HL178FA(E)			
Fuel tank capacity	3.5 liter	12.5 liter			



