


serie D-J



Misure di ingombro - Gruppi Serie D...-J...-... composti da nr.1 Motopompa Diesel Principale + nr.1 Pompa Pilota

Dimensions - Units Serie D...-J...-... composed with nr.1 Main Diesel Motor Pump + nr.1 Jockey Pump

Dimensiones - Grupos Serie D...-J...-... compuestos por No.1 Bomba Diesel principal + No.1 Bomba Jockey



DNM1	D1	H1
Mandata Pompa Allargata di 1 taglia Pump's delivery enlarged of 1 size Descarga de la bomba ampliada de 1 tamaño		
Dimensioni alternative tra loro Alternative dimensions Dimensiones alternativas		
DNM2	D2	H2
Mandata Pompa Allargata di 2 taglie Pump's delivery enlarged of 2 sizes Descarga de la bomba ampliada de 2 tamaños		

Modello Model	Pompa pilota Jockey pump	Collegamenti Connections			Dimensioni (mm) Dimensions (mm)												Serbatoio Tank
		DNA	DNM1	DNM2	DNP	A	B	C	D1	D2	E	G	H1	H2	I	J	
D32-160/4,3-J1-...	J1	DN50	DN65	DN65	1 1/4"	1150	800	438	2030*	2030*	305	335	1408*	1408*	160	362	TK25
D32-160/6,3-J1-...	J1	DN50	DN65	DN65	1 1/4"	1150	800	438	2030*	2030*	305	335	1408*	1408*	160	362	TK25
D32-200/4,3-J1-...	J1	DN50	DN65	DN65	1 1/4"	1150	800	438	2050*	2050*	305	335	1428*	1428*	160	362	TK25
D32-200/6,3-J1-...	J1	DN50	DN65	DN65	1 1/4"	1150	800	438	2050*	2050*	305	335	1408*	1408*	160	362	TK25
D32-200/10,7-J1-...	J1	DN50	DN65	DN65	1 1/4"	1150	800	438	2050*	2050*	305	335	1428*	1428*	160	362	TK25
D32-200/10,7-J2-...	J2	DN50	DN65	DN65	1 1/4"	1150	800	438	2050*	2050*	305	335	1408*	1408*	160	288	TK25
D32-250/10,7-J1-...	J1	DN50	DN65	DN65	1 1/4"	1150	800	458	2120*	2120*	305	335	1493*	1493*	160	362	TK25
D32-250/10,7-J2-...	J2	DN50	DN65	DN65	1 1/4"	1150	800	458	2120*	2120*	305	335	1493*	1493*	160	288	TK25
D32-250/13,8-J2-...	J2	DN50	DN65	DN65	1 1/4"	1150	800	498	2150*	2150*	305	335	1533*	1533*	160	288	TK25
D32-250/17,9-J2-...	J2	DN50	DN65	DN65	1 1/4"	1150	800	458	2115*	2115*	320	320	1493*	1493*	160	288	TK50
D32-250/26,8-J2-...	J2	DN50	DN65	DN65	1 1/4"	1480	800	492	2150*	2150*	305	335	1527*	1527*	160	288	TK50
D32-250/17,9-J3-...	J3	DN50	DN65	DN65	1 1/4"	1150	800	458	2150*	2150*	320	320	1493*	1493*	160	238	TK50
D32-250/26,8-J3-...	J3	DN50	DN65	DN65	1 1/4"	1480	800	492	2150*	2150*	305	335	1527*	1527*	160	238	TK50
D32-250/31,7-J3-...	J3	DN50	DN65	DN65	1 1/4"	1900	900	515	2175*	2175*	345	365	1550*	1550*	190	238	TK65
D40-160/4,3-J1-...	J1	DN65	DN65	DN80	1 1/4"	1150	800	438	2050	2065	305	335	1408*	1423	160	362	TK25
D40-160/6,3-J1-...	J1	DN65	DN65	DN80	1 1/4"	1150	800	438	2050	2065	305	335	1408*	1423	160	362	TK25
D40-160/10,7-J1-...	J1	DN65	DN65	DN80	1 1/4"	1150	800	438	2050	2065	305	335	1408*	1423	160	362	TK25
D40-200/6,3-J1-...	J1	DN65	DN65	DN80	1 1/4"	1150	800	438	2070	2085	305	335	1428*	1443	160	362	TK25
D40-200/10,7-J1-...	J1	DN65	DN65	DN80	1 1/4"	1150	800	438	2070	2085	305	335	1428*	1443	160	362	TK25
D40-200/10,7-J2-...	J2	DN65	DN65	DN80	1 1/4"	1150	800	438	2070	2085	305	335	1428*	1443	160	288	TK25
D40-200/13,8-J1-...	J1	DN65	DN65	DN80	1 1/4"	1150	800	498	2140*	2155*	305	335	1488*	1503	160	362	TK25
D40-200/13,8-J2-...	J2	DN65	DN65	DN80	1 1/4"	1150	800	498	2140*	2155*	305	335	1488*	1503	160	288	TK25
D40-200/17,9-J2-...	J2	DN65	DN65	DN80	1 1/4"	1150	800	458	2100	2115	320	320	1448*	1463	160	288	TK50
D40-250/10,7-J1-...	J1	DN65	DN65	DN80	1 1/4"	1150	800	458	2150	2167	305	335	1493*	1510	160	362	TK25
D40-250/13,8-J1-...	J1	DN65	DN65	DN80	1 1/4"	1150	800	498	2180	2197	305	335	1533*	1550	160	362	TK25
D40-250/13,8-J2-...	J2	DN65	DN65	DN80	1 1/4"	1150	800	498	2180	2197	305	335	1533*	1550	160	288	TK25
D40-250/17,9-J2-...	J2	DN65	DN65	DN80	1 1/4"	1150	800	458	2140	2157	320	320	1493*	1510	160	288	TK50
D40-250/26,8-J2-...	J2	DN65	DN65	DN80	1 1/4"	1480	800	492	2170	2185	305	335	1527*	1542	160	288	TK50
D40-250/17,9-J3-...	J3	DN65	DN65	DN80	1 1/4"	1150	800	458	2140	2157	320	320	1493*	1510	160	238	TK50
D40-250/26,8-J3-...	J3	DN65	DN65	DN80	1 1/4"	1480	800	492	2170	2185	305	335	1527*	1542	160	238	TK50
D40-250/31,7-J3-...	J3	DN65	DN65	DN80	1 1/4"	1900	900	520	2220	2235	365	365	1580*	1595	170	190	TK100
D40-315/48,7-J3-...	J3	DN65	DN65	DN80	1 1/4"	1900	900	520	2220	2235	365	365	1580*	1595	170	190	TK100
D40-315/67-J4-...	J4	DN65	DN65	DN80	1 1/4"	1900	900	520	2220	2235	365	365	1580*	1595	170	190	TK140
D40-315/67-J4-...	J4	DN65	DN65	DN80	1 1/4"	1900	900	520	2220	2235	365	365	1580*	1595	170	190	TK140
D50-160/6,3-J1-...	J1	DN65	DN65	DN100	1 1/4"	1150	800	438	2150	2170	305	335	1485	1505	160	362	TK25
D50-160/10,7-J1-...	J1	DN65	DN65	DN100	1 1/4"	1150	800	438	2150	2170	305	335	1485	1505	160	362	TK25
D50-160/13,8-J1-...	J1	DN65	DN65	DN100	1 1/4"	1150	800	498	2210	2237	305	335	1543	1570	160	362	TK25
D50-200/10,7-J1-...	J1	DN65	DN65	DN100	1 1/4"	1150	800	438	2170	2192	305	335	1503	1525	160	362	TK25
D50-200/13,8-J1-...	J1	DN65	DN65	DN100	1 1/4"	1150	800	498	2230	2252	305	335	1563	1585	160	362	TK25
D50-200/17,9-J1-...	J1	DN65	DN65	DN100	1 1/4"	1150	800	458	2190	2212	320	320	1523	1545	160	362	TK50

serie D-J



Misure di ingombro - **Gruppi Serie D...-J...-...** composti da nr.1 Motopompa Diesel Principale + nr.1 Pompa Pilota

Dimensions - **Units Serie D...-J...-...** composed with nr.1 Main Diesel Motor Pump + nr.1 Jockey Pump

Dimensiones - **Grupos Serie D...-J...-...** compuestos por No.1 Bomba Diesel principal + No.1 Bomba Jockey

Modello Model	Pompa pilota Jockey pump	Collegamenti Connections			Dimensioni (mm) Dimensions (mm)												Serbatoio Tank
		DNA	DNM1	DNM2	DNP	A	B	C	D1	D2	E	G	H1	H2	I	J	
D50-200/17,9-J2-...	J2	DN65	DN65	DN100	1 1/4"	1150	800	458	2190	2212	320	320	1523	1545	160	288	TK50
D50-200/26,8-J2-...	J2	DN65	DN65	DN100	1 1/4"	1480	800	492	2220	2243	305	335	1557	1580	160	288	TK50
D50-250/17,9-J1-...	J1	DN65	DN65	DN100	1 1/4"	1150	800	458	2210	2230	320	320	1550	1570	160	362	TK50
D50-250/17,9-J2-...	J2	DN65	DN65	DN100	1 1/4"	1150	800	458	2210	2230	320	320	1550	1570	160	288	TK50
D50-250/26,8-J2-...	J2	DN65	DN65	DN100	1 1/4"	1480	800	492	2250	2273	305	335	1582	1605	160	288	TK50
D50-250/31,7-J3-...	J3	DN65	DN65	DN100	1 1/4"	1900	900	515	2270	2295	345	365	1605	1630	190	190	TK65
D50-250/48,7-J3-...	J3	DN65	DN65	DN100	1 1/4"	1900	900	515	2270	2295	345	365	1605	1630	190	190	TK100
D50-315/48,7-J3-...	J3	DN65	DN65	DN100	1 1/4"	1900	900	520	2350	2375	365	365	1665	1690	170	190	TK100
D50-315/67-J4-...	J4	DN65	DN65	DN100	1 1/4"	1900	900	520	2350	2375	365	365	1665	1690	170	190	TK140
D50-315/99,5-J5-...	J5	DN65	DN65	DN100	1"	2350	1250	600	2410	2435	495	585	1745	1770	170	250	TK170
D65-160/6,3-J1-...	J1	DN80	DN100	DN125	1 1/4"	1150	800	438	2190	2210	305	335	1535	1555	160	362	TK25
D65-160/10,7-J1-...	J1	DN80	DN100	DN125	1 1/4"	1150	800	438	2190	2210	305	335	1535	1555	160	362	TK25
D65-160/13,8-J1-...	J1	DN80	DN100	DN125	1 1/4"	1150	800	498	2250	2270	305	335	1595	1615	160	362	TK25
D65-160/17,9-J1-...	J1	DN80	DN100	DN125	1 1/4"	1150	800	458	2210	2230	320	320	1555	1575	160	362	TK50
D65-160/26,8-J1-...	J1	DN80	DN100	DN125	1 1/4"	1480	800	492	2240	2260	305	335	1590	1610	160	362	TK50
D65-200/13,8-J1-...	J1	DN80	DN100	DN125	1 1/4"	1150	800	498	2270	2290	305	335	1620	1640	160	362	TK25
D65-200/17,9-J1-...	J1	DN80	DN100	DN125	1 1/4"	1150	800	458	2230	2249	320	320	1581	1600	160	362	TK50
D65-200/26,8-J1-...	J1	DN80	DN100	DN125	1 1/4"	1480	800	492	2265	2285	305	335	1615	1635	160	362	TK50
D65-200/31,7-J1-...	J1	DN80	DN100	DN125	1 1/4"	1900	900	475	2260	2280	365	365	1600	1620	170	315	TK65
D65-200/26,8-J2-...	J2	DN80	DN100	DN125	1 1/4"	1480	800	492	2265	2285	305	335	1615	1635	160	288	TK50
D65-200/31,7-J2-...	J2	DN80	DN100	DN125	1 1/4"	1900	900	475	2260	2280	365	365	1600	1620	170	240	TK65
D65-200/48,7-J2-...	J2	DN80	DN100	DN125	1 1/4"	1900	900	475	2260	2280	365	365	1600	1620	170	240	TK100
D65-250/26,8-J1-...	J1	DN80	DN100	DN125	1 1/4"	1480	800	490	2290	2310	305	335	1640	1660	160	362	TK50
D65-250/26,8-J2-...	J2	DN80	DN100	DN125	1 1/4"	1480	800	490	2290	2310	305	335	1640	1660	160	288	TK50
D65-250/31,7-J2-...	J2	DN80	DN100	DN125	1 1/4"	1900	900	495	2290	2306	365	365	1644	1660	170	240	TK65
D65-250/48,7-J2-...	J2	DN80	DN100	DN125	1 1/4"	1900	900	495	2290	2306	365	365	1644	1660	170	240	TK100
D65-250/48,7-J3-...	J3	DN80	DN100	DN125	1 1/4"	1900	900	495	2290	2306	365	365	1644	1660	170	190	TK100
D65-250/67-J3-...	J3	DN80	DN100	DN125	1 1/4"	1900	900	495	2290	2306	365	365	1644	1660	170	190	TK140
D65-315/67-J3-...	J3	DN80	DN100	DN125	1 1/4"	2000	900	520	2350	2370	365	365	1700	1720	170	190	TK140
D65-315/67-J4-...	J4	DN80	DN100	DN125	1 1/4"	2000	900	520	2350	2370	365	365	1700	1720	170	190	TK140
D65-315/99,5-J4-...	J4	DN80	DN100	DN125	1 1/4"	2350	1250	600	2430	2450	495	585	1780	1800	170	215	TK170
D65-315/99,5-J5-...	J5	DN80	DN100	DN125	1"	2350	1250	600	2430	2450	495	585	1780	1800	170	250	TK170
D65-315/132,4-J5-...	J5	DN80	DN100	DN125	1"	2350	1250	620	2450	2470	495	585	1800	1820	170	250	TK230
D65-315/149,7-J5-...	J5	DN80	DN100	DN125	1"	2350	1250	600	2430	2450	495	585	1780	1800	170	250	TK285
D80-160/10,7-J1-...	J1	DN100	DN125	DN150	1 1/4"	1150	800	458	2330	2385	305	335	1625	1680	160	362	TK25
D80-160/13,8-J1-...	J1	DN100	DN125	DN150	1 1/4"	1150	800	498	2365	2420	305	335	1665	1720	160	362	TK25
D80-160/17,9-J1-...	J1	DN100	DN125	DN150	1 1/4"	1150	800	458	2330	2385	320	320	1625	1680	160	362	TK50
D80-160/26,8-J1-...	J1	DN100	DN125	DN150	1 1/4"	1480	800	492	2360	2415	305	335	1660	1715	160	362	TK50
D80-200/17,9-J1-...	J1	DN100	DN125	DN150	1 1/4"	1150	800	460	2350	2405	320	320	1650	1705	160	362	TK50
D80-200/26,8-J1-...	J1	DN100	DN125	DN150	1 1/4"	1505	800	492	2385	2441	305	335	1684	1740	160	362	TK50
D80-200/31,7-J1-...	J1	DN100	DN125	DN150	1 1/4"	1900	900	475	2370	2425	365	365	1665	1720	170	315	TK65
D80-200/48,7-J1-...	J1	DN100	DN125	DN150	1 1/4"	1900	900	475	2370	2425	365	365	1665	1720	170	315	TK100
D80-200/48,7-J2-...	J2	DN100	DN125	DN150	1 1/4"	1900	900	475	2370	2425	365	365	1665	1720	170	240	TK100
D80-200/67-J2-...	J2	DN100	DN125	DN150	1 1/4"	1900	900	475	2370	2425	365	365	1665	1720	170	240	TK140
D80-250/48,7-J1-...	J1	DN100	DN125	DN150	1 1/4"	1900	900	495	2420	2475	365	365	1715	1770	170	315	TK100
D80-250/48,7-J2-...	J2	DN100	DN125	DN150	1 1/4"	1900	900	495	2420	2475	365	365	1715	1770	170	240	TK100
D80-250/67-J2-...	J2	DN100	DN125	DN150	1 1/4"	1900	900	495	2420	2475	365	365	1715	1770	170	240	TK140
D80-250/67-J3-...	J3	DN100	DN125	DN150	1 1/4"	1900	900	495	2420	2475	365	365	1715	1770	170	190	TK140
D80-250/99,5-J3-...	J3	DN100	DN125	DN150	1 1/4"	2350	1250	610	2530	2583	495	585	1832	1885	170	215	TK170
D80-315/9,5-J3-...	J3	DN100	DN125	DN150	1 1/4"	2350	1250	625	2580	2635	495	585	1880	1935	170	215	TK170
D80-315/99,5-J4-...	J4	DN100	DN125	DN150	1 1/4"	2350	1250	625	2580	2635	495	585	1880	1935	170	215	TK170
D80-315/132,4-J4-...	J4	DN100	DN125	DN150	1 1/4"	2350	1250	620	2580	2635	495	585	1880	1935	170	215	TK230
D80-315/132,4-J5-...	J5	DN100	DN125	DN150	1"	2350	1250	620	2580	2635	495	585	1880	1935	170	250	TK230
D80-315/149,7-J5-...	J5	DN100	DN125	DN150	1"	2350	1250	620	2580	2635	495	585	1880	1935	170	250	TK285
D80-315/180,5-J5-...	J5	DN100	DN125	DN150	1"	2500	1250	620	2580	2635	495	585	1880	1935	170	250	TK315
D100-160/17,9-J1-...	J1	DN125	DN150	DN200	1 1/4"	1150	800	480	2490	2555	320	320	1730	1795	160	362	TK50
D100-160/26,8-J1-...	J1	DN125	DN150	DN200	1 1/4"	1505	800	492	2510	2570	305	335	1750	1810	160	362	TK50
D100-160/31,7-J1-...	J1	DN125	DN150	DN200	1 1/4"	1900	900	495	2290	2306	365	365	1644	1660	170	315	TK65
D100-200/26,8-J1-...	J1	DN125	DN150	DN200	1 1/4"	1480	800	510	2555	2620	305	335	1795	1860	160	362	TK50
D100-200/31,7-J1-...	J1	DN125	DN150	DN200	1 1/4"	1900	900	495	2540	2605	365	365	1775	1840	170	314	TK65
D100-200/48,7-J1-...	J1	DN125	DN150	DN200	1 1/4"	1900	900	495	2540	2605	365	365	1775	1840	170	314	TK100
D100-200/67-J1-...	J1	DN125	DN150	DN200	1 1/4"	1900	900	495	2540	2605	365	365	1775	1840	170	314	TK140
D100-200/48,7-J2-...	J2	DN125	DN150	DN200	1 1/4"	1900	900	495	2540	2605	365	365	1775	1840	170	240	TK100


serie D-J



Misure di ingombro - **Gruppi Serie D...-J...-...** composti da nr.1 Motopompa Diesel Principale + nr.1 Pompa Pilota

Dimensions - **Units Serie D...-J...-...** composed with nr.1 Main Diesel Motor Pump + nr.1 Jockey Pump

Dimensiones - **Grupos Serie D...-J...-...** compuestos por No.1 Bomba Diesel principal + No.1 Bomba Jockey



DNM1	D1	H1
Mandata Pompa Allargata di 1 taglia Pump's delivery enlarged of 1 size Descarga de la bomba ampliada de 1 tamaño		
Dimensioni alternative tra loro Alternative dimensions Dimensiones alternativas		
DNM2	D2	H2
Mandata Pompa Allargata di 2 taglie Pump's delivery enlarged of 2 sizes Descarga de la bomba ampliada de 2 tamaños		

Modello Model	Pompa pilota Jockey pump	Collegamenti Connections			Dimensioni (mm) Dimensions (mm)												Serbatoio Tank
		DNA	DNM1	DNM2	DNP	A	B	C	D1	D2	E	G	H1	H2	I	J	
D100-200/67-J2-...	J2	DN125	DN150	DN200	1 ¼"	1900	900	495	2540	2605	365	365	1775	1840	170	240	TK140
D100-200/9,5-J2-...	J2	DN125	DN150	DN200	1 ¼"	2350	1250	610	2650	2720	495	585	1890	1960	170	265	TK170
D100-250/67-J1-...	J1	DN125	DN150	DN200	1 ¼"	1900	900	520	2560	2625	365	365	1800	1865	170	314	TK140
D100-250/48,7-J2-...	J2	DN125	DN150	DN200	1 ¼"	1900	900	520	2560	2625	365	365	1800	1865	170	240	TK100
D100-250/67-J2-...	J2	DN125	DN150	DN200	1 ¼"	1900	900	520	2560	2625	365	365	1800	1865	170	240	TK140
D100-250/99,5-J2-...	J2	DN125	DN150	DN200	1 ¼"	2350	1250	600	2650	2720	495	585	1880	1950	170	265	TK170
D100-250/99,5-J3-...	J3	DN125	DN150	DN200	1 ¼"	2350	1250	600	2650	2720	495	585	1880	1950	170	215	TK170
D100-250/132,4-J3-...	J3	DN125	DN150	DN200	1 ¼"	2350	1250	620	2660	2730	495	585	1900	1970	170	215	TK230
D100-315/99,5-J3-...	J3	DN125	DN150	DN200	1 ¼"	2350	1250	625	2700	2770	495	585	1940	2010	170	215	TK170
D100-315/132,4-J3-...	J3	DN125	DN150	DN200	1 ¼"	2350	1250	625	2700	2770	495	585	1940	2010	170	215	TK230
D100-315/149,7-J3-...	J3	DN125	DN150	DN200	1 ¼"	2350	1250	625	2700	2770	495	585	1940	2010	170	215	TK285
D100-315/180,5-J4-...	J4	DN125	DN150	DN200	1 ¼"	2500	1250	625	2700	2770	495	585	1940	2010	170	215	TK315
D100-315/202,8-J5-...	J5	DN125	DN150	DN200	1"	2500	1250	625	2700	2770	495	585	1940	2010	170	250	TK360
D100-315/225,2-J5-...	J5	DN125	DN150	DN200	1"	2500	1250	625	2700	2770	495	585	1940	2010	170	250	TK390
D125-200/48,7-J1-...	J1	DN150	DN200	DN250	1 ¼"	1900	900	545	2760	2830	365	365	1960	2030	170	315	TK100
D125-200/67-J1-...	J1	DN150	DN200	DN250	1 ¼"	1900	900	545	2760	2830	365	365	1960	2030	170	315	TK140
D125-200/99,5-J1-...	J1	DN150	DN200	DN250	1 ¼"	2350	1250	660	2870	2945	495	585	2070	2145	170	340	TK170
D125-200/99,5-J2-...	J2	DN150	DN200	DN250	1 ¼"	2350	1250	660	2870	2945	495	585	2070	2145	170	265	TK170
D125-250/67-J1-...	J1	DN150	DN200	DN250	1 ¼"	1900	900	545	2800	2870	365	365	2000	2070	170	315	TK140
D125-250/99,5-J1-...	J1	DN150	DN200	DN250	1 ¼"	2350	1250	625	2880	2950	495	585	2080	2150	170	340	TK170
D125-250/67-J2-...	J2	DN150	DN200	DN250	1 ¼"	1900	900	545	2800	2870	365	365	2000	2070	170	240	TK140
D125-250/99,5-J2-...	J2	DN150	DN200	DN250	1 ¼"	2350	1250	625	2880	2950	495	585	2080	2150	170	265	TK170
D125-250/132,4-J2-...	J2	DN150	DN200	DN250	1 ¼"	2350	1250	625	2880	2950	495	585	2080	2150	170	265	TK230
D125-250/132,4-J3-...	J3	DN150	DN200	DN250	1 ¼"	2350	1250	625	2880	2950	495	585	2080	2150	170	215	TK230
D125-250/149,7-J3-...	J3	DN150	DN200	DN250	1 ¼"	2350	1250	625	2880	2950	495	585	2080	2150	170	215	TK285
D125-250/180,5-J3-...	J3	DN150	DN200	DN250	1 ¼"	2500	1250	625	2880	2950	495	585	2080	2150	170	215	TK315
D125-315/132,4-J3-...	J3	DN150	DN200	DN250	1 ¼"	2350	1250	655	2910	2980	495	585	2110	2180	170	215	TK230
D125-315/180,5-J4-...	J4	DN150	DN200	DN250	1 ¼"	2500	1250	655	2910	2980	495	585	2110	2180	170	215	TK315
D125-315/202,8-J4-...	J4	DN150	DN200	DN250	1 ¼"	2500	1250	655	2910	2980	495	585	2110	2180	170	215	TK360
D150-315/202,8-J3-...	J3	DN200	DN250	DN300	1 ¼"	2500	1250	655	3120	3235	495	585	2255	2370	170	215	TK360
D150-315/270-J3-...	J3	DN200	DN250	DN300	1 ¼"	2500	1250	655	3120	3235	495	585	2255	2370	170	215	TK425
D150-315/270-J4-...	J4	DN200	DN250	DN300	1 ¼"	2500	1250	655	3120	3235	495	585	2255	2370	170	215	TK425